| lijuanch@mail.ustc.edu.cn | | 15956910264 | | | |
|---------------------------|----------------|-------------|--|--|--|
| njuanen@man.ustc.edu.en | | 13930910204 | | | |
| | | | | | |
| 2004.9-2008.6 | | ; | | | |
| 2008.9-2013.6 ; | | | | | |
| 2013.6-2016.6 | | | | | |
| 2016.6-2018.12 | | | | | |
| 2018.12- | | | | | |
| (1) | 1808 | 085QB44 | | | |
| 2018.1-2019.12 | | | | | |
| (2) | | 018A0416 | | | |
| 2010 1 2010 12 | FACE - | | | | |
| 2018.1-2019.12 (3) | (WGKQ2 | 01702002) | | | |
| 2018.1-2020.12 | 2018.1-2020.12 | | | | |
| (4) | WXZR20 | 1722 | | | |
| 2018.1-2019.12 | | | | | |

- (1) Renyong Liu, Chenggen Xie, Yehan Yan, Lin Hu, Suhua Wang, Khalid A. Alamry, Hadi M. Marwani and **Lijuan Chen***. Phosphorylation-Dependent SERS Readout for Activity Assay of Protein Kinase A in Cell Extracts. Nanomaterials **2020**, 10, 575-585. (
- (2) Ye Han Yan, Muhammad Atif, Ren Yong Liu, Hai Kun Zhu and **Li Juan Chen*.** Design of comb-like poly(2-methyl-2-oxazoline) and its rapid co-deposition with dopamine for the study of antifouling properties. Journal of Biomaterials Science, Polymer Edition, **2020**,31 (4): 423-438.
- (3) Ye han Yan, **Li juan Chen**, Renyong Liu, Yu Zheng and Su hua Wang*. A turn-on fluorescent probe with a dansyl fluorophore for hydrogen sulfide sensing. RSC Advances, 2019, 9, 27652-27658.
- (4) * Muhammad Atif.

2019, 38,1020-1028.

(5) * 2018, 07,42-49.

- (6) Lijuan Chen, Yalin Zhang, Longchao Bai, Yanmei Wang*. Assembly of Poly(dopamine)/Poly(acrylamide) Mixed Coatings by Single-Step Surface Modification Strategy and Its Application to Separation of Proteins Using Capillary Electrophoresis. Journal of separation science, 2015, 38, 2915-2923.
- (7) **Lijuan Chen**, Lin tan, Songtao Liu, Longchao Bai, Yanmei Wang*. Surface Modification by Grafting of Ultrathin Poly(SBMA-random-AEMA)-graft-PDA Coating and Its Application in CE. Journal of Biomaterials Science: Polymer Edition, 2014, 25,766-785.
- (8) **Lijuan Chen**, Guangming Liu, Songtao Liu, Lina Xiang, Yanmei Wang*. Preparation and Characterization of Brush-Like PEGMA-graft-PDA Coating and Its Application for Protein Separation. Journal of Biomaterials Science: Polymer Edition. 2014, 25, 1306-1327.
- (9) Lijuan Chen, Rongju Zeng, Lina Xiang, Zhaofeng Luo and Yanmei Wang*. PDA-graft-PEG antifouling coating for quantitative analysis of food proteins by CE. Analytical Methods, 2012, 4, 2852-2859.

*

2012, 1, 15-22.

| (1) 2016 | 2016 | | 66 | " |
|----------|-----------|----|----|---|
| (2) 2017 | | | | |
| (3) 2017 | | | | |
| (4) 2018 | | | | |
| (5) 2019 | | | | |
| (6) | 2017-2018 | 46 | ,, | |